

635 N. Santa Rosa • San Luis Obispo, CA 93405 Phone: 805.543.4244 • Fax: 805.543.4248 www.colfireslo.org

Scott M. Jalbert, Unit Chief

252815

SLO CO PLAN & BLDG DEPT

April 25, 2016

San Luis Obispo County
Department of Planning & Building
County Government Center
San Luis Obispo, CA. 93408

Subject: Bunyea Updated Project Description – SUB2015-00012
Revision to existing Fire Safety Plan

Mr. Caruso,

CAL FIRE/San Luis Obispo County Fire Department has reviewed the information contained within the *Updated Project Description* (Kirk Consulting-November 2015) for the proposed two lot residential subdivision located at 3393 Adobe Canyon Road near Atascadero, CA.

As part of the *Updated Project Description*, the building envelope for Parcel #1 has been moved to where it is directly adjacent to Adobe Canyon Road. This change to the building envelope, serves to appropriately address the concerns raised within the Fire Safety Plan dated 10/26/15. Response time, dead-end road concerns and required improvements to Adobe Canyon Road are no longer concerns relative to the proposed parcel split and this department finds that all relative standards have been met as proposed.

Please feel free to contact me at (805)543-4244, extension 3425 should you have additional questions and/or concerns regarding this matter.

Sincerel

Fire Inspector

C: Kirk Consulting, Agent

COUNTY OF SAN LUISTOBISPO HEALTH AGENCY



Public Health Department

Jeff Hamm Health Agency Director Penny Borenstein, M.D., M.R.H. Health Officer



August 20, 2015

Kirk Consulting 8830 Morro Rd, Atascadero, CA 93422

ATTN:

SARAH STATON

RE:

TENTATIVE MAP CO 15-0027 BUNYEA

APN 034-441-021

Water Supply

This office is in receipt of satisfactory **preliminary** evidence of water in the form of a Well Completion Report (Number 069506). Please be advised that additional water well documentation will be required for **each** lot less than 60 acres prior to approving the map for recordation. Adequate documentation will include, the well completion report for the well serving the parcel, current well capacity (pump test) and current water quality testing ("current" is information not more than 5 years old). Be advised that the pump tests for shared wells are a minimum of 12 hours. Transmission lines for shared wells will need to be located in approved easements and shall be installed prior to recordation or a bond may be posted with Public Works. Please contact this office for details regarding required testing before initiating work.

Wastewater Disposal

Individual wastewater disposal systems are considered an acceptable method of disposal, provided County and State installation requirements can be met. This office is responsible for certifying that field investigations show that ground slopes and soil conditions will allow for satisfactory disposal by on-site septic systems. Be advised that all septic system leach fields (and expansion areas) shall be installed at a minimum of 100 feet away from any domestic water wells or watercourse, 200 feet away from reservoir, shall be located in areas free from bedrock, and shall not be placed on natural slopes that exceed 30%. Should a wastewater disposal system be installed in an area with greater than 20% slope it must be designed and the installation certified by a registered civil engineer. The exhibit provided for preliminary approval reveals that proposed parcels 1 and 2 have existing development. Please provide information on any septic system(s) located on these parcels and documentation of any maintenance or problems that have occurred prior to hearing.

GO 15-9027 is approved for Environmental Health subdivision map processing.

LESTIE A. TERRY, R.E.H.S. Environmental Health Specialist

Land Use Section

North County Team, County Planning

DUPLICATE Driller's Copy

STATE OF CALIFORNIA THE RESOURCES AGENCY

Do not fill in

DEPARTMENT OF WATER RESOURGES

No. 069506

(12) WELL LOG: Teal draph, 203 in Depth of completed we here. It is it Promation (Depth of completed we here. It is it Promation (Depth of completed we here. It is it Promation (Depth of completed we here. It is it Promation (Depth of completed we here. It is it Promation (Depth of completed we here. It is it Promation (Depth of completed we here. It is it Promation (Depth of completed we here. It is it Promation (Depth of completed we here. It is it Promation (Depth of completed we here. It is it Promation (Depth of completed we here. It is it Promation (Depth of completed we here. It is it Promation (Depth of completed we here. It is Promatical Completed we have a supplied with the completed we here. It is Promatical Completed we have a supplied with the completed we have a supplied with the completed we have a supplied with the completed with the completed we have a supplied with the completed with the complete with the complete with the completed with the complete with t	Local Permit No. or Date	ceiraine Minni F	ORILLERS REPORT State Well No.
Address ALBOCATION OF WELL (See instructions): Carrier	(1) OWNER: Klaus Heilman		Other Well No.
Atascadery (A. 93422 2) LOCATION OF WELL (See instructions): (2) LOCATION OF WELL (See instructions): (3) TYPE OF WORK Well address of address of non-above. (30) Shalle Section 14 Section 14 Dispace from effects ready, insteady, fraces, etc. (3) TYPE OF WORK New Well Mr. Branchedy, fraces, etc. (4) PROPOSED USES Domester (4) PROPOSED USES Domester (5) Address of some content ready in the state of the second distriction in them is a second distriction in the individual in the individua	D G Place CAO		(12) WELL LOG: Total depth 203 ft, Depth of completed well 200 from ft
(2) LOCATION OF WELL (See instructions): Since Construction			Thought to it. Formation (Describe by color, character, size or material)
Well address of different from above. Solidar Solid	Zip		Alche a Share
Well addies if different from above. Solidar Sands 128	(2) LOCATION OF WELL (See instructions):		
Courts 26S	Owner's Well Number 2		- Santa & Delias Cone
Distance from either, reads, relinants, renges, etc. (3) TYPE OF WORK, New Well B Decreating Recognitioning Recognitication Rec	. 200 150		50 - 203 Shale
Septemble State		Section 14	
Well Location Sketch	Distance from cities, roads, railroads, fences, etc.		
Well Location Sketch	TENTECOM WAT TA RIVER BLIGGE & Home Blace		
Steel Peter Pete			The state of the s
New Well & Despending			
Reconstitution Destruction Destructio			A Comment of the comm
Recorditioning		New Well 🚰 Deepening 🗍	
Rodizontal Well Described		Reconstruction	
Rotational Well Determination Character Described Descri		Reconditioning	(- V () () ()
Described Described Procedures in Rem 129 (4.) PROPOSED USES Domestic Integration Described Described Procedures in Rem 129 (1.) PROPOSED USES Domestic Integration Described De			- 10 m
Competition	•	Destruction [(Describe	110-110
Competition	•	procedures in Item 12)	
Domestic Irrigation Domestic Irrigation Domestic Defendence Defendenc	•		
Municipal Steel Completed Complete			
Industrial Cet Well Stoold Stoo		Irrigation	11-7-62-
WELL LOCATION SKETCH Other Display Complete Comp		Industrial	
WELL LOCATION SKETCH Other Color		La. 1 N. M	
WELL LOCATION SKETCH Other Colored Colored			111111111111111111111111111111111111111
WELL LOCATION SKETCH Colored Co		1. 7/1 ///	
S EQUIPMENT:	WELL LOCATION SKETCH	· · · · · · · · · · · · · · · · · · ·	
Interval			
ther Bucket Buck	The second secon		
Bucket Record from 20 200		0 (4/0)(0)	
Casing Installed Concrete Plastic Concrete Type of perfection or size of screep	The state of the s	A	(2/1/2) -
Type of perforation or size of screep			
From To Dia Gagor From Rt Siot Rt Size O 260 5 214 0 140 Blank 9) WELL SEAL: Ver strata sealed against pollution? Yes No I fi yes, to depth 20 ft. Vere strata sealed against pollution? Yes No I interval ft. lethod of sealing Coment 10) WATER LEVELS: Werk started 8/11/89 19 Completed 8/11/80 WELL DRILLERS STATEMENT: This well took drilled study my jurishlytion odd this report is true to the bear when the strated reading level after well completion. 11) WELL TESTS: Bail Test: 20 gam at 160 Vas well test made? Yes No I fi yes, by whom? Well bailer Miller Drilling CO: Well Drilling CO:			
ft. ft. in. Well ft. ft. size 0 260 5 214 0 140 Blank 9) WELL SEAL: Var surface sanitary seal provided? Yes XI No If yes, to depth 20 it. Vere strata sealed against pollution? Yes No Interval ft. lethod of sealing Cament Well Drillers STATEMENT: lepth of first water, if known 140 ft. landing level after well completion 145 ft. II) WELL TESTS: Bail Test: 20 cam at 160' las well test made? Yes No If yes, by whom? Pepth to water at start of test ft. At end of test ft. lepth to water at start of test ft. At end of test ft. Address Stant Gerson, firm, piccipporation (Typed or printed) NAME Miller Drilling CO. Person, firm, piccipporation (Typed or printed) Main St. Stant Gerson, firm, piccipporation (Typed or printed) No. If yes, by whom? Stant Stant			
9) WELL SEAL: Vas surface sanitary seal provided? Yes X No If yes, to depth 20 ft. Vere strata sealed against pollution? Yes No Interval ft. lepth of first water, if known 140 ft. landing level after well completion 145 ft. II) WELL TESTS: Ball Test: 20 gan at 160 Sign whom? Air lift Sign water at start of test Pump Bailer Air lift MAME Miller Drilling Co. lepth to water at start of test ft. At end of test ft	ft. ft. Dia. Gage of Frem		
9) WELL SEAL: Vas surface sanitary seal provided? Yes XI No If yes, to depth 20 ft. Vere strata sealed against pollution? Yes No Interval ft. lethod of sealing Cement 10) WATER LEVELS: Septh of first water, if known 140 standing level after well completion 145 11) WELL TESTS: Bail Test: 20 gran at 160 Vas well test made? Yes No If yes, by whom? Steph to water at start of test ft. At end of test ft. Sischarge gal/min after hours Water temporature Address 501 No. Mail St. Var started 8/11/80 19 Completed 8/11/80 WELL DRILLERS STATEMENT: This well was drilled index my jurisliction fight this report is true to the behavior of the second of test ft. At end of test ft. At end of test ft. At end of test ft. Sischarge gal/min after hours Water temporature Address 501 No. Mail St. Value Templeton, CA. 93465 Zip. Var started 8/11/80 19 Completed 8/11/80 Well Drilling CO. Verification of the second of the second of test ft. Sischarge gal/min after hours Water temporature Var started 8/11/80 19 Completed 8/11/80 Well Drilling CO. Verification of the second of the second of test ft. Address 501 No. Mail St. Var started 8/11/80 19 Completed 8/11/80 Var started 8/11/80 19 Completed 8/11/80 Var started 8/11/80 19 Completed 8/11/80 Well Drilling CO. Verification of the second		 	
9) WELL SEAL: Vas surface sanitary seal provided? Yes X! No If yes, to depth 20 it. Vere strata sealed against pollution? Yes No Interval it. tethod of sealing Convent Werk started 8/11/80 19 Completed 8/11/80 10) WATER LEVELS: tepth of first water) if known 140 tanding level after well completion 145 tt. 11) WELL TESTS: Bail Tests: 20 opin at 160 Yas well test made? Yes No If yes, by whom? Pepth to water at start of test ft. At end of test ft. itscharge gal/min after hours Water temperature the mical analysis made? Yes No If yes, by whom? Yas electric log made? Yes No If yes, by whom? Yas electric log made? Yes No If yes, by whom? Yas electric log made? Yes No If yes, by whom? Yas electric log made? Yes No If yes, by whom? Yas electric log made? Yes No If yes, attach converte this conve			
Vere strata sealed against pollution? Yes No I fryes, to depth 20 ft. Vere strata sealed against pollution? Yes No I interval ft. Septent Werk started 8/11/80 19 Completed 8/11/80 WATER LEVELS: Septh of first water, if known 140 It handing level after well completion 145 II) WELL TESTS: Ball Test: 20 gran at 160 Vas well test made? Yes No I fryes, by whom? Signed Water at start of test ft. At end of test ft water at start of test ft. Address 501 No. Main St. Vere strata sealed against pollution? Yes No I fryes, by whom? Vere strata sealed against pollution? Yes No I fryes attach converte this case.		200\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
Vere strata sealed against pollution? Yes No I fryes, to depth 20 ft. Vere strata sealed against pollution? Yes No I interval ft. Septent Werk started 8/11/80 19 Completed 8/11/80 WATER LEVELS: Septh of first water, if known 140 It handing level after well completion 145 II) WELL TESTS: Ball Test: 20 gran at 160 Vas well test made? Yes No I fryes, by whom? Signed Water at start of test ft. At end of test ft water at start of test ft. Address 501 No. Main St. Vere strata sealed against pollution? Yes No I fryes, by whom? Vere strata sealed against pollution? Yes No I fryes attach converte this case.	Q) WITH SEAT.	Cliffy 1.	_
Very strata sealed against pollution? Yes No Interval ft.			-
Week started SIL/80 19 Completed S/II/80 10 Wark started SIL/80 19 Completed S/II/80 10 Wark started SIL/80 19 Completed S/II/80 10 Completed S/II/80	Vere strate social equippe Chairman VI. Fa		_
Well Drillers Well Driller			- 0/11/1/1
tanding level after well completion 145 11) WELL TESTS: Ball Test: 20 grap at 160' (as well test made? Yes No If yes, by whom? At right At end of test ft (bischarge gal/min after hours Water temporature (as electric log made? Yes No If yes, by whom? (as electric log made? Yes No If yes, by whom? (b) This toell took drilled index mu jurisdiction fid: this peport is true to the bischarge will be designed and belief. (b) This toell took drilled index mu jurisdiction fid: this peport is true to the bischarge will be designed and belief. (c) Signed (c) Well Driller) NAME Miller Drilling Co. (d) Well Driller) NAME Miller Drilling Co. (d) Address 501 No. Main St. (d) Templeton, CA. 93465 (d) 12/800	IO XX APPEN TO THE PART OF		
tanding level after well completion 145 11) WELL TESTS: Ball Test: 20 grap at 160' 20 20 20 20 20 20 20 20 20	epth of first water, if known 140		
11) WELL TESTS: Bail Test: 20 ckm at 160 Signed Signe	tanding level after well completion 145		knowledge and belief my jurisliction ordities report is true to the best of my
NAME Miler Drilling Co. (Person, firm, or corporation): (Typed or printed) Address 501 No. Main St. Address City Templeton, CA. 93465 Zip. Vas electric log made? Yes No. If yes strock conv. to this conv.	11) WELL TESTS: Bail Test: 20 cpm at 160		
At end of test ft scharge gal/min after bours Water temporature Address 501 No. Main St. Address 501 No. Main St. Address Templeton, CA. 93465 Zip. Vas electric log made? Yes No. If yes strock converte this converte the second strock of th	All Market 1		(Well Driller)
ischarge gal/min after hours Water temperature Address 501 No. Main St. hemical analysis made? Yes □ No □ If yes, by whom? City Templeton, CA. 93465	lenth to worker at about at any		(Paris 6 to the first of the fi
hemical analysis made? Yes No I if yes, by whom? City Templeton, CA: 93465			Address 501 No Main St.
'as electric log made? Yes No I If yes attach conv to this conv			
The state of the s			324634 9/13/90
WR 188 (REV. 7-76) IF ADDITIONAL SPACE IS NEEDED, USE NEXT CONSECUTIVELY NUMBERED FORM	and the state of t	and the second s	Date of this report

NOTE: Any person removing the cap from this well other than Miller Drilling Co. or authorized contractor approved by us will void all structural warranties.